

25 YEARS OF TRUSTED EXPERIENCE



CHANDÉ



THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS



RAJ HEATERS & THERMOCOUPLES **CHANDÉ ELECTRICALS**



**Mfrs: All Types of Industrial Heaters, Thermocouples,
Ovens, Furnace, Lab - Ovens**

Sales Office : Old No 159, New No.327, Linghi Chetty Street, 1st Floor,




Chennai - 600 001. India. Tel : + 91 - 44 - 25356797, 42160797 Fax : +91 - 44 - 25357335

Mobile : 098410 44282, 09840844282 E-mail : / info@chande.in Website : www.chande.in

Factory : Unit - I - Kolkotta □ Unit - II Chennai □ Branches : Coimbatore, Bangalore



THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS





THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS

OIL IMMERSION HEATER (STANDARD TYPE) OIL IMMERSION HEATERS



S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1	1000	230	535	440	RHT1
2	1500	230	535	440	RHT2
3	2000	230	535	440	RHT3
4	3000	415	535	440	RHT4
5	4000	415	675	580	RHT5
6	6000	415	675	580	RHT6

INDUSTRIAL WATER IMMERSION HEATERS 1 1/4" BSP INDUSTRIAL WATER IMMERSION HEATER



S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1	2000	230	300	230	RHT7
2	3000	230	360	230	RHT8
3	4000	230	460	380	RHT9
4	5000	230	550	470	RHT10

1 1/2" BSP INDUSTRIAL WATER IMMERSION HEATER

5	2000	230	290	220	RHT11
6	3000	230	295	220	RHT12

2" BSP INDUSTRIAL WATER IMMERSION HEATER

7	4000	230/400	340	260	RHT13
8	5000	230/400	450	320	RHT14
9	6000	230/400	460	380	RHT15
10	7500	230/400	550	470	RHT16
11	9000	230/400	660	600	RHT17

COMMERCIAL IMMERSION HEATER

1 1/4" IMMERSION HEATER



S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1	1000	230	220	210	RHT18
2	1500	230	255	215	RHT19
3	2000	230	265	225	RHT20
4	2000	230	330	290	RHT21

CHANDE

THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS

INDUSTRIAL FLANGED IMMERSION HEATER (1" BSP)



S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1	1000	230	220	210	RHT22
2	1500	230	255	215	RHT23
3	2000	230	265	225	RHT24
4	3000	230	330	290	RHT25

INDUSTRIAL FLANGED IMMERSION HEATER

FLANGE 1 1/4" BSP



S.No.	Watts	Volts	Total Length (mm)	Depth of Immersion (mm)	Catalogue No.
1	1500	230	255	215	RHT26
2	2000	230	265	225	RHT27
3	3000	230	330	290	RHT28

INDUSTRIAL AIR HEATERS



S.No.	Watts	Volts	Total Length (mm)	Catalogue No.
1	500	230	250	RHT29
2	750	230	450	RHT30
3	1000	230	610	RHT31
4	1000	230	760	RHT32
5	1500	230	760	RHT33
6	1500	230	990	RHT34
7	2000	230	990	RHT35

INDUSTRIAL FINNED AIR HEATERS



S.No.	Watts	Volts	Total Length (mm)	Catalogue No.
1	500	230	250	RHT36
2	750	230	450	RHT37
3	1000	230	630	RHT38
4	1000	230	760	RHT39
5	1500	230	760	RHT40
6	1500	230	990	RHT41
7	2000	230	990	RHT42



THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS

ALKALINE IMMERSION HEATERS


S.No.	Watts	Volts	Total Length (mm)	Effective Heated Length (mm)	Cold Length (mm)	Catalogue No.
1	3000	230	680	380	300	RHT43

LEAD COVERED IMMERSION HEATERS

S.No.	Watts	Volts	Total Length (mm)	Effective Heated Length (mm)	Cold Length (mm)	Catalogue No.
1	3000	230	680	380	300	RHT44

CHEMICAL IMMERSION HEATERS


S.No.	Watts	Volts	Total Length (mm)	Effective Heated Length (mm)	Cold Length (mm)	Catalogue No.
1	2000	230	680	380	300	RHT45
2	3000	230	680	380	300	RHT46



Boiler Heating Elements



Oven / Toaster Heating Elements



Water Commercial Immersion Heater



KETTLE TYPE HEATERS



KETTLE TYPE HEATERS SPECIAL



GEYSER ELEMENT



25 YEARS OF TRUSTED EXPERIENCE

CHANDE

THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS

THERMOCOUPLES



Industrial Type



Normal Type



Thermocouples and Rtds



PTPT RH Type



Rtd thermocouple with bayonet fittings



Head Mounting



Plug Socket Type



Rtd Elements



Rtd



Thermowells.



Energy Regulators & Thermostats



Elstein IR



Ceramic IR Heaters



Band Heater

Kumar High Temperature Refractories



Authorised Dealer for South India

25 YEARS OF TRUSTED EXPERIENCE

CHANDE

THE TRUSTED NAME IN INDUSTRIAL HEATING ELEMENTS

INSTANT GEYSER HEATER



STERLISER ELEMENT



Infrared Thermometer

PROFESSIONAL HIGH TEMPERATURE INFRARED THERMOMETER

Metrix⁺



MT10xL
- 18° - 1050°C
0°F - 1922°F
DS - 12:1



MT15xL
- 18° - 1500°C
0°F - 2732°F
DS - 50:1



MT16xL
- 18° - 1650°C
0°F - 3002°F
DS - 50:1



MT18xL
- 18° - 1800°C
0°F - 3272°F
DS - 80:1

Metrix⁺

MT10XL, MT15XL, MT16XL, MT18XL newly designed, latest electronic innovative technology. Light weight and easy to operate. It has many functions like Emissivity adjustment, Max/Min mode, Differential mode, average mode, alarm setting at High & Low at both temperature limits, suitable for many fields such as Metallurgy, Petroleum, Railways, Electronic Oven supply, Chemical, Textiles, Rubber, Plastic, Paper Making, Food, Medicine, Tobacco, Glass, Thermal Power Plants as well as energy saving.